



MITEL

## Cordless Accessories

### Expand your communications range

New accessories from Mitel® offer the freedom of cordless mobility and the feature richness of a desktop phone.

With the Mitel Cordless Handset you're free to move around when on a call—and the Mitel Cordless Headset gives you further hands-free convenience. No more missed calls when you step away from your desk to go to the printer or speak to a colleague a few desks away!

A key benefit for any office or home-based call center users. DECT-based, the Cordless Headset can be used in high-density environments. Designed specifically for the Mitel 5330 IP Phones and Mitel 5340 IP Phones, many features have been integrated into the headset itself.

## Key Features

Features of the cordless accessories include:

- Initiate call / end call key
- Volume control keys
- Mute key
- Built-in ringer in the Cordless Handset
- Place outbound calls while mobile with programmable "Auto Speed Dial" upon off-hook
  - Speak@Ease or "0" or Secretary speed-call
- LED indicators on the Cordless Accessories Module, Cordless Handset, and Cordless Headset indicate both connectivity and charging status
- Eight hours talk time
- Forty-three hours standby time
- Battery recharge time of three hours or less
- Operating range of up to 300 feet (100 meters) from the 5330 IP Phone and 5340 IP Phone
- Integrated functionality of the Cordless Headset eliminates the need for a handset lifter
- Out of communications range warning tone
- Support for two cordless devices (Cordless Handset and Cordless Headset) per Cordless Accessories Module
- Audible warning for low battery
- DECT-based design: Standard DECT and DECT 6.0 cordless technology provides higher quality voice transmission, density, and less interference compared to Bluetooth
- Supported on the Mitel 3300 IP Communications Platform (ICP) and in the future on the Mitel SX-200 IP Communications Platform (ICP)

## Technical Specifications

### Supported Phones:

The Cordless Accessories Module, Cordless Handset, and Cordless Headset are supported on the 5330 IP Phones and 5340 IP Phones.

### Minimum System Software Requirements

3300 ICP: minimum system software is 3300 ICP Release 8.0, UR1

SX-200 ICP: minimum system software Release 4.0, UR3

Mitel Teleworker Solution: minimum software is Release 4.5

Feature	Specification
Wireless Technology	DECT operating at 1.9 GHz: 1880 – 1900 MHz (Standard DECT) (UK / Europe) 1920 – 1930 MHz (DECT 6.0) (North America)
Transmission Power	63mW
Power Consumption	3 W
Operating Environment: Temperature Humidity	+10 to +40C / 50°F to 104°F 15% at +40C, 95% at 29C
Storage Environment: Temperature Humidity	0 to +40C / 32°F to 140°F 34% at +40C, 95% at 29C
Range	Up to 300 feet in a typical office environment
Talk Time on a Single Charge: Cordless Handset Cordless Headset	8 hours 9 hours
Standby Time: Cordless Handset Cordless Headset	48 hours 43 hours
Cordless Handset / Cordless Headset Battery Recharge Time	3 hours
Cordless Headset Microphone	Noise-canceling
Cordless Headset Weight	0.84 oz (26g)
Battery Type	Lithium polymer
Security	64-bit digital encryption

**Cordless Module / Cordless Handset / Cordless Headset – North American-Variant (DECT 6.0) (1920 – 1930 MHz)**

United States

Canada

**Cordless Module / Handset / Headset – EURO-Variant (Standard DECT) (1880 – 1900 MHz)**

United Kingdom

Europe (EU)

Australia, New Zealand

